

The Wagner logo, featuring a stylized triangle above the word "WAGNER" in bold, black, sans-serif capital letters.

**ProSpray**  
Generation 3



# ProSpray

## MAXIMUM RELIABILITY & UNMATCHED VALUE

- Perfectly matched performance categories
- Innovative product features
- Proven professional quality
- 3 + 2 year warranty

[www.wagneraustralia.com.au](http://www.wagneraustralia.com.au)

# PROSPRAY RANGE

ProSpray is the perfect family of piston pumps with a wide range of pumps to cater for every painter's spraying and project requirements.


From smaller pumps for lighter work right up to larger pumps for higher viscosity materials, larger work sites or for running multiple guns, you will find the pump you need in the Wagner ProSpray range.



All ProSpray pumps come with our award-winning Vector Airless Guns. Vector Airless Guns offer extra long life due to the isolated spring assembly, have a built-in wrench for quick and easy filter changes, and ultra light trigger pull for less fatigue.



The innovative, Brushless DC Motor provides improved performance and efficiency, and requires no maintenance. Continuous pressure measurement automatically controls the motor speed, ensuring constant material pressure.



The new practical Self-Adjusting Packings lead to less wear and are simple to change. They have a 50% longer service life which means significantly lower maintenance costs.



Maintenance is made easy with the Auto-Oiler\*. With the push of a button before each use the piston is oiled and the packings are lubricated. The "Easy Glide" machine oil can be refilled easily and forms a protective film around the cylinder and piston, protecting the unit against premature wear.

\*On ProSpray 3.21 and up

## SMALL PUMPS



### PS 3.20

Comes complete on Skid with Flexible Suction System, High Pressure Filter, HEA Pressure Gauge, Inlet Valve Depressor, Vector Pro Airless Gun, 15m Airless Hose, 517 HEA ProTip and Base. Ideal for those who spray regularly or occasionally, who need a reliable pump.

Part No. 2413422



### PS 3.21

Comes complete on Skid with Electronic Spray Control (ESC), Flexible Suction System, High Pressure Filter, Pressure Gauge, Inlet Valve Depressor, Vector Grip Airless Gun, 15m Airless Hose, 517 HEA ProTip and Base, EMI Filter and Tool Kit.

Part No. 0558009



### PS 3.23

Comes complete on Skid with Electronic Spray Control (ESC), Flexible Suction System, High Pressure Filter, Pressure Gauge, Inlet Valve Depressor, Vector Grip Airless Gun, 15m Airless Hose, 517 HEA ProTip and Base, EMI Filter and Tool Kit.

Part No. 0558010



### PS 3.25

Comes complete as either Skid, LowBoy or HighBoy with Digital Electronic Spray Control (DESC), Flexible Suction System, High Pressure Filter, Pressure Gauge, Inlet Valve Depressor, Vector Grip Airless Gun, 15m Airless Hose, 517 TradeTip3 and Base, EMI Filter and Tool Kit.

Part No. Skid: 0558011

Low Boy: 0558013

High Boy: 0558012



The swivel joint on the flexible suction system is quick and easy to remove without tools. Standard with ProSpray 3.20, 3.21, 3.23, 3.25 Skid & 3.29 Low Boy.



Clean storage of the flexible suction system, EasyGlide and EasyClean, helping to keep your pump organised and in good order. Standard with ProSpray 3.21 and up.



The pressure gauge provides precise information about working pressures at all times.



The inlet valve depressor guarantees high operating reliability. One press of a button and a stuck valve is free again. Standard with ProSpray 3.20, 3.21, 3.23 & 3.25.





1 PUMPS



LARGE PUMPS

LONG STROKING PISTON TECHNOLOGY



## PS 3.29

Comes complete with Digital Electronic Control System (DESC), Flexible (low boy) or Rigid (high boy) Suction System, High Pressure Filter, Vector Grip Airless Gun, 15m Airless Hose, 517 TradeTip3 and Base, EMI Filter and Tool Kit.

Part No. Low Boy: 0558015  
High Boy: 0558014



## PS 3.31

Comes complete with Digital Electronic Control System (DESC), Rigid Suction System, High Pressure Filter, Vector Grip Airless Gun, 15m Airless Hose, 517 TradeTip3 and Base, EMI Filter and Tool Kit.

Part No. High Boy: 0558016



## PS 3.34

Comes complete with Digital Electronic Control System (DESC), Rigid Suction System, High Pressure Filter, Vector Grip Airless Gun, 15m Airless Hose, 517 TradeTip3 and Base, EMI Filter and Tool Kit.

Part No. High Boy: 0558017



## PS 3.39

Comes complete with Digital Electronic Control System (DESC), Rigid Suction System, High Pressure Filter, Vector Grip Airless Gun, 15m ½" Airless Hose, 3/8" Whip Hose, 231 and 431 TradeTip3 and Base, EMI Filter and Tool Kit.

Part No. High Boy: 0558018



The tilting cart feature allows for quick and easy changeover of paint containers.



The Digital Electronic Spray Control system controls and regulates all functions. This system also provides valuable information to the user. Included on ProSpray 3.25 and up.



Quick change of the suction system is possible without tools, eliminating the need for costly downtime on site. Standard with ProSpray 3.34 and up.



The low position of the PS 3.39 inlet valve improves the suction power for extremely high viscosity materials.



#### Vector Grip Gun



A revolution in comfort and control. 30% lighter trigger pull for less fatigue, and extra long life due to the redesigned fluid path and reversible seat.



#### On-site serviceability



Quick change\* of the suction system is possible without tools, eliminating the need for costly downtime on site.  
\* PS3.34 & 3.39 units

#### Digital Electronic Spray Control

The system controls and regulates all functions, and also provides valuable information to the user.

#### Telescopic handle

Retracts down for easy storage and transport.

#### Tilting cart

Allows for quick and easy changeover of paint containers



#### Puncture resistant tyres

Safely wheel your sprayer through the roughest job sites.

TECHNICAL DATA	PS 3.20	PS 3.21	PS 3.23	PS 3.25	PS 3.29	PS 3.31	PS 3.34	PS 3.39
Max. Flow Rate	2.0 l/min	2.2 l/min	2.3 l/min	2.6 l/min	3.0 l/min	3.8 l/min	4.5 l/min	5.0 l/min
Max. Tip Size	0.021"	0.023"	0.024"	0.027"	0.029"	0.032" / 0.021"	0.034" / 0.023"	0.039" / 0.026"
Max. Operating Pressure	3000 psi	3335 psi	3335 psi	3335 psi	3335 psi	3335 psi	3335 psi	3335 psi
Motor Rating:	1 kW	0.8 HP / 0.65 kW	1.2 HP / 0.89 kW	1.5 HP / 1.1 kW	2.0 HP / 1.5 kW	2.3 HP / 1.7 kW	2.6 HP / 1.94 kW	3.6 HP / 2.68 kW
Weight:	13.6 kg	16 kg	16 kg	16 kg / 25.5 kg	38 kg	38 kg	43 kg	44 kg
Part Number:	Skid: 2413422	Skid: 0558009	Skid: 0558010	Skid: 0558011 LB: 0558013 HB: 0558012	LB: 0558015 HB: 0558014	HB: 0558016	HB: 0558017	HB: 0558018

## 3+2 year warranty for all products in the ProSpray range.

This offer is the only one of its kind in the industry and underlines Wagner's clear leadership when it comes to quality in coatings application technology. The standard warranty period is 3 years (5 years if registered) and 1 year for industrial use / shift operations (3 years if registered).

For further information, or to register your Wagner product, go to [www.wagner-group.com/profi-guarantee](http://www.wagner-group.com/profi-guarantee)

*Note - Product must be purchased from an Authorised Wagner Dealer and used in the country of purchase to be eligible for the Wagner Warranty.*



**All you need to do is register your new Wagner ProSpray unit within four weeks of purchase and your Warranty will be extended by an additional 2 years.**

**WAGNER SPRAYTECH AUSTRALIA PTY LTD**  
14-16 Kevlar Close, Braeside Vic 3195  
Ph: 03 9587 2000 Fax: 03 9580 9120  
[info@wagneraustralia.com.au](mailto:info@wagneraustralia.com.au)  
**FREECALL 1800 924 637**  
[www.wagneraustralia.com.au](http://www.wagneraustralia.com.au)

**PAINTWORX (NZ)**  
70 Lady Ruby Drive, East Tamaki, Auckland  
Ph: 09 272 2840 Fax: 0800FOR WAGNER  
[service@paintworx.co.nz](mailto:service@paintworx.co.nz)  
[www.wagner.co.nz](http://www.wagner.co.nz)



FOLLOW US

