

390 PC™ CORDLESS

Airless Paint Sprayer





390 PC Cordless

Airless Paint Sprayer

INTRODUCING THE INDUSTRY'S FIRST CORDLESS **HIGH PERFORMANCE PAINT SPRAYER**

BENEFITS YOU'LL APPRECIATE ON EVERY JOB

- Set up where you want instead of where the power is available
- · Consistent, all-day spraying power without power fluctuations
- Deliver perfect airless finishes with RAC X[™] Low-Pressure SwitchTips™
- Eliminate competing for power with other trades
- Stop wasting time dealing with long extension cords
- Light weight design makes it easier to move and transport
- Experience quiet job sites with battery power instead of using noisy generators





HIGHEST PERFORMANCE CORDLESS SPRAYER EVER BUILT

- Spraying at up to 3,300 PSI
- Delivering up to 1.8 LPM
- Supporting up to 0.021" tip

PERFORMANCE YOU CAN COUNT ON WITH ALL DAY SPRAYING POWER

- Spray up to 11 litres on a single battery charge
- Two batteries included for all-day spraying
- Recharge battery in under 60 minutes



UNMATCHED PORTABILITY DELIVERS THE FREEDOM TO SPRAY EVERYWHERE

- The lightest weight professional airless paint sprayer
- Freedom from power cords, electrical outlets
- Spray every job faster—anywhere







Learn more at graco.com/390Cordless

THE WORLD'S MOST POWERFUL **CORDLESS PAINT SPRAYER**

ENDURANCE™ PISTON PUMP

- Last 2X longer than the next leading brand
- Faster cleaning with the QuikAccess[™] intake valve
- Sprays up to 3,300 psi
- Delivers up to 1.7 LPM
- Supports up to 0.021" tip





CONTRACTOR PC™ AIRLESS SPRAY GUN WITH RAC X LOW PRESSURE SWITCHTIP

PROCONNECT™

PUMP REPLACEMENT SYSTEM

Pump swaps in minutes eliminating

- · Spray at lower pressure for extended battery runtime, less overspray, and longest tip life
- SmartTip[™] Technology delivers the industry's best finish at the lowest airless spray pressure



POWERED BY DEWALT® FLEXVOLT®

- High capacity 6ah FlexVolt batteries—spray up to 11 litres per battery charge
- Delivered complete with two batteries
- Fan-cooled fast charger—recharges battery in under 60 minutes



390 PC Cordless

Airless Paint Sprayer

THE LIGHTEST WEIGHT PROFESSIONAL **AIRLESS PAINT SPRAYER**

BRUSHLESS DC MOTOR

- Powerful brushless DC motor provides extended battery run time
- Lightweight, compact design allows for increased portability



ADJUSTABLE PRESSURE CONTROL

- Delivers extended runtime when spraying at low pressure
- Position indicator allows repeatable setting between 0-3,300 psi while spraying light-to-heavy materials.

RUGGED STEEL FRAME

• Thick chrome over steel withstands jobsite abuse



ADVANTAGE™ DRIVE

 Hardened steel gears provide extremely quiet operation and a



EASY OUT™ FILTER

- Exclusive inside-out filtering process ensures a quality finish
- Large filtration area reduces tip clogs

COMES COMPLETE WITH EVERYTHING NEEDED TO FINISH THE JOB

· Contractor PC Spray Gun

(PATENT PENDING)

- RAC X LP 515 SwitchTiip
- 1/4" x 15m BlueMax™ II Airless Hose
- (2) DEWALT FlexVolt 18v/54v Max 6ah Batteries
- (1) DEWALT Fan-Cooled Fast Charger





THE POWER & FREEDOM TO SPRAY EVERY APPLICATION



INTERIORS









DOORS & TRIM

EAVES & FACIA







DECKS

FENCES

GRAFFITI ABATEMENT

REMOTE LOCATIONS & MORE!


YOU CHOOSE YOUR POWER SOURCE!



BOTH Deliver Superior Performance



BOTH Spray the Widest Range of Architectural Coatings



390 PC CORDLESS







WHAT CONTRACTORS ARE SAYING...



"The 390 PC Cordless has the same pressure & performance as the corded version, its lighter weight and is easier to move around the job, it's a great pump!"

Mike Kaukola – Brushmasters Painting & Drywall, Maple Grove, MN

"I don't have to worry about outlets, extension cords, other contractors, etc. It allows me to show up and do my job—I have been waiting 25 years for a sprayer like this!"

Justin Henjum – J's Finishing LLC, Hanover, MN



ONLY GRACO OFFERS THE LARGEST LINE UP OF CORDLESS SPRAYERS





	SPECIFICATIONS						FEATURES FEATURES								
	Part Number	Maximum Tip Size	Maximum psi (bar)	Maximum gpm (lpm)	Motor hp	Weight lb (kg)	Gun Support	Endurance Pump	ProConnect	Advantage Drive		Adjustable Pressure Control	Gun	Tip	Hose
390 PC CORDED	Stand (17C386 Lo-Boy (17C387) Hi-Boy (17C388)	0.021"	3300 (227)	0.47 (1.8)	5/8 DC	33 (15) Stand	1 Gun (0.021")	•	•	•	•	•	Contractor PC	RAC X LTX 517	1/4 in x 15m BlueMax II Airless
390 PC CORDLESS	Stand (25T882)	0.021"	3300 (227)	0.47 (1.8)	5/8 Brushless DC	31 (14) Stand	1 Gun (0.021")	•	•	•	•	•	Contractor PC	RAC X LP 515	1/4 in x 15m BlueMax II Airless

ACCESSORIES

BATTERY & CHARGER



PART #	DESCRIPTION
20A164	DEWALT 18V/54V MAX* FlexVolt 6ah Battery
20A167	DEWALT Fan-Cooled Fast Charger

AIRLESS SPRAY GUNS



PART #	DESCRIPTION
17Y043	Contractor PC with RAC X LP 517 SwitchTip
19Y349	Contractor PC Compact with RAC X LTX 515 SwitchTip
288420	Contractor with RAC X LTX 517 SwitchTip
288430	Contractor FTx with RAC X LTX 515 SwitchTip

AIRLESS SPRAY TIPS



PART #	DESCRIPTION				
LTXxxx	RAC X LTX SwitchTips				
FFLPxxx	RAC X FFLP SwitchTips				
LPxxx	RAC X LP SwitchTips				

HOPPER KITS



PART #	DESCRIPTION					
17H171	5.7 litre (1.5 Gallon) Hopper Assembly, Lid Included (390 PC - 595 PC Pro)					
19B968	Airless Finishing Kit					

INDUSTRY-LEADING WARRANTY PROTECTION

Every Graco electric sprayer is backed by an industry leading warranty.

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer (including motors and drive train) to the original purchaser. Does not include wear parts.

CONVENIENT SERVICE

Graco customers can rely on a vast network of authorised distributors, go on www.graco.com to find the closest one to you.



Every Graco purchase comes with A+ Customer Service.

Questions?

Call: +61 3 9468 8599

For more information visit graco.com

©2021 Graco Inc. 3J0206ANZ Rev. B 7/21 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. All trademarks are the property of their respective owners. Trademarks are referenced herein for identification purposes only. DaWALT® and the DaWALT Logo are trademarks of DaWALT Industrial Tool Co. and are used under license. All trademarks are the property of their respective owners. Product covered by issued and pending patents, see graco.com/patents. With respect to 18/54v max, maximum initial battery voltage (Measured without a workload), is 20v/60v respectively. Nominal voltage is 18v and 54V respectively.